# Legacy Luxe



**120**
**Nora Oak**

**190**
**Northern Oak**

**300**
**Natural Oak**

**325**
**Cosmo Oak**

**355**
**Highland Oak**

**500**
**Sand Oak**

**520**
**Flax Oak**

**525**
**Shoreline Blackbutt**

**545**
**Bayside Blackbutt**

**575**
**Smoked Oak**

**585**
**Mallee Gum**

**735**
**Otway Oak**

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

# Legacy Luxe

Legacy Luxe brings the natural beauty and intricate character of real timber into a refined, water resistant laminate floor. An authentic embossed in register surface on selected colours delivers a true-to-life textured finish, enhancing its detailed grain patterns and rich visual depth for a warm, elevated look in any space.

## Technical Data

| | |
|---|---|
| **Type:** | Laminate Flooring |
| **Total Product Thickness:** | 12mm |
| **m² per box:** | 1.764 |
| **Colours:** | 12 |
| **Surface:** | Embossed in Register on Selected Colours |
| **Backing Layer:** | Balancing Layer |
| **Installation Method:** | Uniclic® |

| | |
|---|---|
| **Dimensions:** | 1500mm x 196mm |
| **Units Per Box:** | 6 boards |
| **m² per pallet:** | 114.66 |
| **Finish:** | Matte |
| **Substrate Layer:** | 860kg/m3 High Density Fibreboard |
| **Profile:** | 4 Sided Bevel |

## Performance

| | |
|---|---|
| **Impact Sound Reduction:** | Please refer to Godfrey Hirst Acoustic Performance specification sheet |
| **Smoke Value:** | (EN ISO 9239) 9% minutes |
| **Warranty:** | 20 Year Laminate Limited Residential Warranty* |

| | |
|---|---|
| **Flammability:** | (EN ISO 9239) CRF 9.0kW/m2 |
| **Slip Resistance:** | (AS/NZ 4586-2013) P3 |

## Sustainability

| | |
|---|---|
| **Accreditation:** | Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body. |
| **Indoor Air Quality:** | Green Building Council Compliant for VOC emission rate limits |

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Matte Finish

Uniclic® Watertight Locking System

Mid Range


4 Sided Bevel

Embossed

20 Year Laminate Limited Residential Warranty*

Celebrating Australian Species

Waterproof Surface

Water Resistant

Embossed in Register

# Legacy Luxe

All Godfrey Hirst Laminate products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Laminate Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
†Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.