Metropol 1200

180

Mountain Hardwood

305

Natural Hardwood

350

Golden Oak

505

Southern Oak

510

Sand Oak

535

Northern Weathered Gum

540

Summer Blackbutt

559

Southern Weathered Gum

570

High Country Hardwood

710

Coastal Hardwood

730

Sun Bleached Hardwood

750

Hidden Valley

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

godfreyhirst.com

Metropol 1200

Metropol 1200 by Godfrey Hirst is** a technologically advanced hybrid floor designed to deliver the perfect balance of style, durability and practicality**. Available in a versatile palette of natural timber-inspired colours, it brings the warmth and character of timber into the home while offering the performance benefits of modern hybrid flooring.

Designed to complement a wide range of interior styles, Metropol 1200 **features an embossed surface texture and matte finish that enhance the authentic timber look**. The carefully curated colour palette ranges from light contemporary tones through to richer timber hues, creating a stylish foundation for every room.

Built with advanced Trigon® Core Technology, a stable limestone composite core, Metropol 1200 is engineered for everyday performance. Its waterproof construction provides added confidence throughout the home, while the durable wear layer and protective PUR coating help maintain its appearance over time. The Uniclic® installation system allows for efficient installation, making it a practical choice for renovations and new builds alike. Green Building Council of Australia compliant for VOC emission standards and backed by a 25 Year Hybrid Limited Residential Warranty*, Metropol 1200 offers** an affordable flooring solution that combines durability, style and lasting value**.

Technical Data

Type:	Hybrid Flooring
Total Product Thickness:	6mm
Units Per Box:	10 boards
m² per pallet:	120.12
Finish:	Matte
Top Layer:	Decorative Film & Wear Layer
Backing Layer:	1.5mm Acoustic Backing
Coating System:	PUR

Dimensions:	1200mm x 182mm
Wear Layer:	0.3mm
m² per box:	2.184
Colours:	12
Surface:	Embossed
Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Profile:	Micro Bevel
Installation Method:	Uniclic®

Performance

Dimensional Stability:	(ISO 23999) Length: 0.0, Width: 0.05, Curling: 0.0
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	180 - 9.30 | 305 - 20.51 | 350 - 10.81 | 505 -16.33 | 510 - 36.78 | 535 - 15.19 | 540 - 24.11 | 559 - 9.73 | 570 - 19.39 | 710 - 28.83 | 730 - 24.20 | 750 - 18.52
Smoke Value:	(EN ISO 9239)121% minutes
Warranty:	25 Year Hybrid Limited Residential Warranty*

Abrasion Rating:	(EN 660-2) Group P
Light Fastness:	(EN ISO 105-B02) ≥6
Flammability:	(EN ISO 9239) CRF 11.0kW/m2
Slip Resistance:	(AS 4586) P3

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Metropol 1200

Realistic Look

Strong & Durable

Micro Bevel Edge

Embossed

Matte Finish

Uniclic® Watertight Locking System

Codemark Certified For Metropol Hybrid Flooring

ISO 9001 Quality Management System

ISO 14001 Environment Management System

25 Year Hybrid Limited Residential Warranty*

0.3mm Wear layer

Trigon Core Technology

Affordable

Celebrating Australian Species

Waterproof Surface

Waterproof Core

Codemark Certified Waterproof

ECS Level 2

Metropol 1200

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
⍰ Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
^Subject to proper installation, maintenance and local building code/regulatory approval.