Polaris 1500



110

Pearl Oak

300

Tan Hardwood

510

Flax Oak

525

Silk Spotted Gum

545

Classic Blackbutt

555

Bright Spotted Gum

560

Hazel Blackbutt

570

Tawny Blackbutt

585

Brindle Spotted Gum

710

Silver Hardwood

735

Stony Blackbutt

790

Iron Spotted Gum

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Polaris 1500

Polaris 1500 from Godfrey Hirst brings the** look and character of natural timber together with the practical benefits of modern vinyl flooring**. Available in a versatile palette including Australian species designs, the range offers a timeless foundation for a variety of interior styles, from classic and traditional to contemporary.

Available in two formats, Polaris allows you to tailor the look and scale of your space. **Polaris 1500 features a longer, thicker plank that creates a more expansive feel and enhanced visual flow across larger areas**, while Polaris 1200 offers a shorter plank format for a more compact and versatile layout. Both formats share the same colour palette, making it easy to create a cohesive look throughout the home.

The embossed surface and matte finish enhance the realistic timber-inspired appearance, while the clean square edge profile delivers a streamlined, contemporary finish. **Designed for everyday living, Polaris is waterproof, durable and easy to maintain**, with a PUR protective coating providing added surface protection. The direct stick installation method delivers a secure, professional-looking finish for renovations and new builds.

Technical Data

Type:	Vinyl Plank Flooring
Total Product Thickness:	4.5mm
Units Per Box:	8
m² per pallet:	133.92
Finish:	Matte
Profile:	Square Edge
Installation Method:	Direct Stick

Dimensions:	1524mm x 228mm
Wear Layer:	0.5mm
m² per box:	2.79
Colours:	12
Surface:	Embossed
Coating System:	PUR

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: 0.05%, Curling: 0.00%
Abrasion Rating:	(EN 660-2) Group T
Light Fastness:	(EN ISO 105-B02) 6-7
Flammability:	(EN ISO 9239) CRF 10.0kW/m2
Slip Resistance:	(AS 4586) P3

Thermal Conductivity:	TBA
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	110 - 31.89 | 300 - 20.07 | 510 - 28.06 | 525 - 20.60 | 545 - 13.37 | 555 - 13.70 | 560 - 18.15 | 570 - 9.60 | 585 - 8.64 | 710 29.61 | 735 - 14.38 | 790 - 10.41
Smoke Value:	Direct Stick: (EN ISO 9239) 176% minutes | With Underlay: (EN ISO 9239) 171% minutes
Warranty:	25 Year Vinyl Plank Limited Residential Warranty*

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Polaris 1500

Godfrey Hirst Best Seller

Matte Finish

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Embossed



Square Edge

Mid Range

Colour Variation

25 Year Vinyl Plank Limited Residential Warranty*

0.5mm Wear Layer

Celebrating Australian Species

ECS Level 1

Waterproof Surface

Waterproof Core

Waterproof

Polaris 1500

All Godfrey Hirst vinyl Plank products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Vinyl Plank Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.