
Stellar Nova





115
Polar Light



300
Radiant Comet



310
Moonstone Mist



350
Golden Flare



520
Capella Star



545
Sunbeam Blackbutt



547
Starlight Blackbutt



556
Orbit Spotted Gum



558
Bronze Spotted Gum



560
Nova Honey



570
Celeste Haze

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Stellar Nova

Bring natural warmth and timeless appeal into your home with Stellar Nova laminate flooring from Godfrey Hirst. **Inspired by the enduring beauty of timber**, its woodgrain detailing and versatile colour palette provide a welcoming foundation for interiors ranging from classic to contemporary.

Pressed bevel edges create definition between planks, enhancing the floor's overall depth and highlighting its timber-inspired design. Selected colours also feature an embossed-in-register surface, where the texture aligns with the visual grain pattern to create a more realistic, tactile finish.

Combining considered design with everyday practicality, Stellar Nova features Enhanced 240 Hour Water Resistance for added confidence against everyday moisture. Its pressed bevel edges and embossed-in-register detailing on selected colours further enhance the visual appeal, bringing together **authentic timber-inspired character and practical performance for busy households.**

Technical Data

Type:	Laminate Flooring
Total Product Thickness:	12mm
m² per box:	1.764
Colours:	11
Surface:	Embossed in Register on Selected Colours
Backing Layer:	Balancing Layer
Installation Method:	Uniclic®

Dimensions:	1500mm x 196mm
Units Per Box:	6 boards
m² per pallet:	114.66
Finish:	Matte
Substrate Layer:	860kg/m3 High Density Fibreboard
Profile:	Pressed Bevel

Performance

Abrasion Rating:	(EN 13329) AC4
Flammability:	(EN ISO 9239) CRF 11.0kW/m2
Warranty:	20 Year Laminate Limited Residential Warranty*

Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Smoke Value:	(EN ISO 9239) 4% minutes

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits


Water Resistant



Matte Finish


Uniclic® Watertight Locking System


Pressed Bevel Edge



Embossed in Register


Embossed

Stellar Nova



20 Year Laminate Limited Residential Warranty*



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Celebrating Australian Species



Mid Range

Stellar Nova

All Godfrey Hirst Laminate products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Laminate Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.